

Scanned with CamScanner



Scanned with CamScanner

#### **TECHNICAL SPECIFICATIONS**

MODEL					AXIA 1.0¢	
TRANSMISSION						D-CVT
10		Overall Length/Width/Height		mm	3,760 / 1,665 / 1,505	
DIMENSIONS	S E	Wheelbase		mm	2,525	
SS	E	Kerb Weight		kg	865	885
W.	& WEIGHT	Minimum Turning Radius		m	45	
0	1	Luggage Capacity		(	and the same of th	265
		Engine Type			1KR-VE, DOHC, 12V, Electronic Fuel Injection (EFI) with WT-I	
	11.5	Total Displacement		cc	998 50/6,000	
	ENGINE	Maximum Output [DIN]		kW/rpm	91/4,400	
	Zi.	Maximum Torque (DIN)		Nm/rpm	25.3	27.4 (with 'ECO Idle' System)
		Fuel Consumption (MDC Mode)		Km/ℓ	23,3	36
		Fuel Tank Capacity		1.		
	CHASSIS	Electric Power Steering (EPS)				
		Tyres & Disc Wheels			175/65 R14 Alloy Rims 175/65 R14 Steel Rim	
	Ċ	Spare Tyre			175/6	MANUFACTURE OF THE PARTY OF THE
	EXTERIOR	Daytime Running Lights				
		Front Grille			Material Colour	Chrome
		Front & Side Skirtings			The second second second	
		Rear Spoiler				The second second second second
		Side Mirrors			Electric & Manual Retractable	Electric & Retractable with LED Turn Signals
		Headlamps			Halogen with Auto OFF	LED and Auto ON-OFF with Follow-me-home & Leaving Home Function
	INTERIOR	Multi Info Display			LCD	
		Shift Lever Finishing			Urethane	Leather
		Inside Door Handle			Material Colour	Chrome
		Seats	Type		Standard with Fabric	Semi-Bucket with Fabric
			Front Seat		Detachable Headrest	
			Rear Seat (Fold	table)	Integrated Headrest	Detachable Headrest
		Smart Entry & Push Start/Stop Button		mitegration medical	· Contract Contract	
		Smart Entry & Push Start Stop Society				
	SET	Audio (Floating Type)			Standard Audio with MP3 & Bluetooth	
COMFORT		Speakers		2 Front	2 Front & 2 Rear	
		2 2 20 20	Туре			Urethane
		Steering Wheel	Power Mode Drive			MEDICAL DISTRIBUTION OF THE PARTY OF THE PAR
	Airbags				2 (Front)	
	ABS with EBD & BA					
-	Vehicle Stability Control (VSC)					
	Traction Control (TRC)					
5 1	Emergency Stop Signal (ESS)					
3SE	Hill-start Assist (HSA)					
Ž I	Parking Assist Front Corner Sensor Rear Sensor			r Sensor		
SAFETY & SECURITY				i sensor		
-	ISOFIX System with Top Tether					
	Carpet Mat				The same of the same of	
in in -	Safety Triangle					•
AG -	Registration Plate Holder					
	resource and rough			Designation of the last		

Only the main differences between variants are listed here. For a list of features common to all variants, please consult a Perodua sales advisor.

Specifications are subject to change without prior notice.

#### **Exciting Colours**







GRANITE GREY



LAVA RED



GLITTERING SILVER



IVORY WHITE (SOLID)

Colours shown here may differ from the colours of the actual vehicles.

# **Chattogram Showroom**

PHP Business Square 542, Asian Highway, Sholokbahar, Bahaddarhat, Chattogram, Bangladesh. Cell: 01885-555300

## Dhaka Showroom - 1

240 Tejgaon Gulshan Link Road, Tejgaon C/A, Dhaka Bangladesh Cell: 01885-553 333

### Dhaka Showroom - 2

107/2 Kakrail Dhaka-1000, Bangladesh. Hotline: 01887 900 800



